Holmes RD, Porter J, Devapal L, White DA.

[Patterns of care and service use amongst children in England, Wales and Northern Ireland 2013.](#)

British Dental Journal 2016, 221(8), 509-514.

Copyright:

This is the authors' accepted manuscript of an article that was published in its final definitive form by Nature, 2016.

DOI link to article:

<http://dx.doi.org/10.1038/sj.bdj.2016.781>

Date deposited:

21/10/2016

Embargo release date:

21 April 2017

Patterns of care and service use amongst children in England, Wales and Northern Ireland 2013

R.D. Holmes^{1*}, J. Porter², L. Devapal³, and D.A. White⁴

***Correspondence to:**

Dr Richard D Holmes¹, Senior Lecturer / Hon. Consultant in Dental Public Health, Centre for Oral Health Research, School of Dental Sciences, Newcastle University, Framlington Place, Newcastle upon Tyne, NE2 4BW, United Kingdom. Tel: 0191 208 8242, Fax: 0191 208 5191. Email: Richard.Holmes@ncl.ac.uk

Miss Jessie Porter²

Formerly Research Assistant, UCL Research Department of Epidemiology and Public Health, University College London, 1-19 Torrington Place, London, UK, WC1E 6BT. New Email: jessie.porter@unimelb.edu.au

Dr Lucy Devapal³

Public Health Centre North East, Waterfront 4, Newburn Riverside, Goldcrest Way, Newcastle upon Tyne, NE15 8NY, United Kingdom. Email: lucy.devapal@newcastle.ac.uk

Professor Deborah White⁴

Dental Public Health, School of Dentistry, St Chad's Queensway, Birmingham B4 6NN, United Kingdom. Email: d.a.white@bham.ac.uk

ABSTRACT

Background: The 2013 Children's Dental Health survey is the fifth in a series of national surveys.

Aims: This paper describes children's reported use of dental services, their experience of receiving dental treatment and parental satisfaction with services.

Methodology: A representative sample of children (aged 5, 8 12 and 15 years) in England, Wales and Northern Ireland were invited to participate in dental examinations. Older children and all parents were invited to complete a questionnaire about oral health behaviours and attitudes.

Results: Over 80% of 12 and 15 year olds reported attending for a check-up. According to parents, 9 in 10 children of all ages had visited a dentist in the last year and 9 in 10 parents reported they were satisfied with the last dental practice their child had visited. There was some variation by country with respect to children's experiences of fillings and extractions.

Conclusions: There has been little change in the reported attendance patterns of children since the 2003 Survey. Family deprivation (measured by children's eligibility for free school meals) negatively influenced dental attendance for regular check-ups, attendance within the last 12 months and the likelihood of having experienced difficulties accessing NHS dental services for children.

BACKGROUND

The 2013 Children's Dental Health (CDH) Survey, commissioned by the Health and Social Care Information Centre, is the fifth in a series of national children's dental health surveys that have been carried out every ten years since 1973.¹ The 2013 CDH survey provides statistical estimates on the dental and oral health of children in England, Wales and Northern Ireland as well as providing information on children's related experiences, perceptions and behaviours.

Children's parents or guardians (hereafter referred to as 'parents' for brevity) were asked to provide this information through self-completion questionnaires, and for the first time in the CDH survey series, older children aged 12 and 15 years of age were also asked to complete a questionnaire at the same time as the dental examination.

Since the 2003 CDH survey, there have been significant changes to the organisational structure of primary care NHS dental services particularly in the devolved countries of England and Wales. In April 2006, a new General Dental Services (nGDS) contract was introduced in England and Wales and funding for these services became overtly 'cash-limited'² when the responsibility for resources was transferred to the former Primary Care Trusts (PCTs) in England and Local Health Boards (LHBs) in Wales alongside the introduction of local dental commissioning. Amongst many related developments at that time, a new contract currency the 'unit of dental activity' (UDA) was introduced in these countries which measured dentists' performance within a 12-month period for an agreed contract value. Following an independent review of NHS dental services in England³, the Department of Health is currently piloting and testing prototypes for a 'reformed' contract built around a care pathway approach and incorporating key elements including disease prevention, treatment quality and continuing care.⁴

Regular dental attendance is important as it provides opportunities to prevent as well as treat dental disease. Children's dental attendance patterns also have implications for NHS resources and how NHS dental services are provided. Following the 2003 CDH survey, the National Institute for Health and Care Excellence (NICE) issued a guideline on recall intervals between routine dental examinations.⁵ The guideline is based upon the best available evidence and its purpose is to assist clinicians to select appropriate recall intervals between oral health reviews based upon their patient's needs. The guideline states that for children (below 18 years of age) the longest recall interval between reviews is 12 months and the shortest interval is 3 months.

In recent years, key documents such as '*Delivering Better Oral Health: an evidence-based toolkit for prevention*'⁶, have provided the dental team with a comprehensive and readily accessible source of information relating to advice and preventive interventions for patients at all levels of disease risk. One of the key philosophies adopted by this document is '*proportionate universalism*' which aims at reducing health inequalities and the steepness of the social gradient in health by providing preventive actions to all, but with a scale and intensity that is proportionate to the level of disadvantage.⁷ Related to these challenges, commissioning better oral health for children is an area of current focus and interest.⁸

This paper aims to describe children's reported use of dental services, their experience of receiving dental treatment and parental satisfaction with different aspects of dental services across England, Wales and Northern Ireland.

METHODOLOGY

Full details of sampling, response, examination protocols and statistical methods can be found elsewhere.⁹ However, as a brief overview, the 2013 survey was based on a representative sample of children aged 5, 8, 12, and 15 years, attending government maintained and independent schools in England, Wales and Northern Ireland. The survey was conducted by a consortium led by the Office for National Statistics (ONS) and it involved 775 primary schools and 219 secondary schools.

Pupil Questionnaire

An innovation for the 2013 survey was the introduction of a pupil questionnaire for 12 and 15 year olds to complement the questionnaires sent to parents. The rationale for introducing the pupil questionnaire was to include the self-reported perceptions and behaviours of older children about their oral and general health in order to allow for the analysis of more accurate data than would have been possible via parents alone. Similarly, analysis of the data generated by both participant groups is important as it contributes towards a more complete picture of oral health in these age groups as well as our understanding of the demand for, and utilisation of dental care services.

Topics covered in the parent questionnaire included: child's ethnicity; child's dental anxiety; parent's educational qualifications; pattern of dental visits; and the occupation of the family reference person, although this list is not exhaustive. The pupil questionnaire was designed to be completed within 10 minutes and it was presented at the same appointment as the clinical dental examination. The pupil questionnaire included topics such as: satisfaction with appearance of teeth; tooth

brushing behaviour; smoking and drinking behaviour and self-rated dental and general health.

Data Analysis

In view of the complexity of the sampling design and resultant weighting procedures, sampling errors were quantified using statistics programme STATA¹⁰, and were calculated using a design factor (deft) to take account of the complex sampling and weighting procedures. The statistical significances in means and percentages between sub-groups were tested by calculating the confidence interval for the differences observed, based on the standard errors calculated using the design factor. This ensured that sampling error was taken into account in the testing procedure. Where significant differences are reported in the text, these are statistically significant at the 5% threshold ($p < 0.05$) unless otherwise stated.

Ethical Approval

The survey was ethically reviewed (University College London, Project ID: 2000/003) following changes made as a consequence of piloting and it received a favourable ethical opinion.

RESULTS

A total of 13,628 children were sampled within participating schools and 9,866 children were examined, a response rate of 72.4%.

Questionnaire response

The pupil questionnaire distributed to 12 and 15 year olds achieved a response rate of 99.6%. The overall response rate for the parent questionnaire was 43%. Item non-response in both the parent and pupil questionnaires was generally below 2% for most question formats.

Dental attendance

Age of first visit

There was little evidence of much change in the proportion of children in England, Wales and Northern Ireland reportedly attending the dentist by two years of age in 2013 compared to 2003. In 2003, 29% of 5 year olds and 32% of 8 year olds had attended by the age of two. In the 2013 survey the figures were similar, with 30% of 5 year olds and 34% of 8 year olds having attended the dentist by the same age. In previous CDH surveys when the whole of the UK had been surveyed, the youngest age group (5 year olds) had the highest proportion of non-attendance at a dentist compared to the other age groups. Across the whole of the UK, non-attendance of 5 years olds was reportedly 14% in 1983, 10% in 1993, 6% in 2003 and in England, Wales and Northern Ireland in 2013, this figure remained at 6%. However, non-attendance in this youngest age group remains higher than the reported non-attendance in each of the older age groups ($\leq 1\%$) in 2013.

Self-reported dental attendance

Just over 80% of all 12 and 15 year olds reported attending for a check-up although this means that approximately one fifth of this age group did not. Children in England were less likely to report attending for a dental check-up than those in Wales and Northern Ireland and this difference was greater in 12 year olds than 15

year olds. In 2013, 3% of 12 year olds and 2% of 15 year olds reported that they had never been to a dentist. Furthermore, older children living in rural areas were more likely to report attending the dentist for a check-up than children living at a home address in an urban area.

The 2013 CDH survey used children's eligibility for free school meals (FSM's) as a proxy for income deprivation for those living in low income families. It is important to note that only children living in low income families were eligible for FSM's at the time the survey was conducted. Within the 12 and 15 year old age groups, income deprivation negatively influences dental attendance (Figure 1). Two thirds of 12 year olds receiving FSM's reported attending for a check-up compared to 86% of the same age group from less deprived families. Similarly, 27% of children eligible for FSM's reported going to the dentist only when they had trouble with their teeth, but the figure was just 12% in children from less deprived families. The self-report data for 12 and 15 year olds show that between one quarter and one third of the more deprived adolescents do not benefit from a dental check-up.

Parent-reported dental attendance

Since 2003 there has been little change in reported dental attendance patterns across England, Wales and Northern Ireland. Over nine in ten parents reported that their 12 and 15 year old children attended the dentist for a check-up. However, the same question in the pupil questionnaire found just over eight out of ten children of the same ages reporting this directly.

In the 2013 survey, 95% of parents reported that their children's dental treatment was free. Only 5% of parents reported paying at the point of use or and/or using dental insurance. Differences between countries were negligible.

Across all age groups, a higher proportion of children not eligible for FSMs were reported to have visited the dentist in the last 12 months than those who were eligible.

A comparison was made of the parental reports and children's self-reports of dental attendance. Where children aged 12 and 15 years old reported that they attended for a check-up, 99% of parents independently agreed. However, where these older children reported that they only attended when having trouble (or had never been), over one third (37%) of parents still indicated that their child had attended for a check-up. Unsurprisingly, as parents' self-reported attendance at the dentist reduced, so did that of their children across all age groups (Table 1).¹¹

Access to NHS dental services

There was little variation reported in the figures relating to access to NHS dental services by age of the child. Table 2 shows that over eight out of ten parents reported that they never had difficulty finding an NHS dentist and parents in Northern Ireland reported this more than parents in England and Wales.¹¹ However since the 2003 CDH survey there was a slight increase in the proportion of all parents reporting they had experienced difficulty find an NHS dentist, rising from 9% in 2003 to 12% in 2013.

A higher proportion of parents of children eligible for FSMs reported that they had difficulty finding an NHS dentist compare to parents of children not eligible for FSM's. Over two thirds of parents who had experienced difficulty cited that this was because of local dentists not taking on NHS patients. A further 28% of all parents stated that the dentist had made it a condition that the parent (or parents) registered privately at the same practice.

Satisfaction with dental services

For the first time, the 2013 CDH survey asked parents how they would rate different aspects of the last dental practice they attended with their child. Overall satisfaction with dental services was high with over 9 in 10 parents reporting that they were satisfied with the last dental practice that their child visited (Table 3).¹¹ In the 5 year old age group, whilst 76% of parents in England were satisfied with the wait for an urgent appointment, satisfaction was higher in Wales (83%) and Northern Ireland (88%). In relation to 12 year old children receiving FSM's, 68% of these parents were satisfied with the wait for an urgent appointment compared to 84% of parents of 12 year old children not eligible for FSM's.

Dental care received

Unsurprisingly, children's lifetime experience of dental care increased with age although there were variations between countries (Table 4).¹¹ By the age of 12 years, one quarter of children in England were reported to have had a permanent tooth filled, whilst in Wales and Northern Ireland the figures were 30% and 36%, respectively. By the age of 15 years, one in four children had experienced a filling or extraction of their primary teeth, 38% of children had received a filling in a permanent tooth and 21% had experienced an extraction of a permanent tooth.

The 2013 questionnaire asked parents if their child had ever had a general anaesthetic (GA) before dental treatment. In England, 9% of parents of 12 year olds reported this compared to 21% of parents in Wales and 19% of parents in Northern Ireland. The reported use of sedation before dental treatment was broadly similar across ages and between countries.

There was a relationship between children experiencing some forms of dental care and income deprivation as measured by children's eligibility to receive FSM's. At ages 8 and 12, 14% and 22% of children eligible for FSM's were reported to have received a general anaesthetic before dental treatment. However, at the same ages for children not eligible for FSM's, their reported experience of general anaesthesia before dental treatment was 6% and 7%, respectively.

DISCUSSION

There was little evidence of change since 2003 with respect to children's first reported attendance at the dentist or in the proportion of children reported to have attended the dentist in the last twelve months. Whilst the majority of older children reported that they attended the dentist for a check-up, one fifth of 12 and 15 year olds did not report attending. Attendance for a dental check-up varied considerably by level of deprivation. Much higher proportions of older children not eligible for FSM's reported attending for a check-up than those who were eligible. The parents of children eligible for FSM's were also more likely to report having experienced difficulty finding an NHS dentist than those children not eligible. Overall however, a high proportion of parents were satisfied with the last dental practice that their child had visited, and almost all of the children who had received dental care were reported by their parents, to have done so through the NHS.

The 2013 CDH survey revealed interesting findings regarding parent-reported child dental attendance pattern and older children's self-reported dental attendance. Where dental attendance was favourable, the responses of children and their parents revealed a high level of agreement. However, there was less agreement where children reported they only attended when they had trouble or had never been

to the dentist. The findings highlight that parents' and children's recall and reporting of dental attendance patterns may not always agree.

In general, there was little variation between boys and girls with regard to the dental care received. Children eligible for FSM's were more likely to have received a GA than those not eligible.

When interpreting data from the 2013 CDH survey, it is important to highlight changes in the consent methodology for participants. Prior to 2013 negative (opt-out) consent was used, but for 2013 the survey methodology changed to accommodate guidance which now requires positive (opt-in) parental/guardian consent.¹² Whilst consent is not the only factor that may influence participation rates, the number of children examined in the CDH survey series has fallen since 1973. The impact and difficulties associated with introducing positive consent for dental epidemiological surveys are real and many of these issues have been previously highlighted.^{13,14}

Fewer than half of parents completed the parental questionnaire in 2013, whereas the newly-introduced pupil questionnaire generated a near total response as this was completed on the day of the dental examination. Participant and parent non-response may lead to systematic changes (bias) in the data collected. Furthermore, if there is bias in the parental questionnaire data, the direction of this bias is likely to result in an overestimation of positive behaviours including participants' reported attendance at the dentist for a check-up. Both the parental and pupil questionnaires acted as self-report measures. Consequently, what children and adults say about their oral health behaviours and attitudes may not be an accurate reflection of what they actually do.

CONCLUSIONS

Whilst there have been changes to the geographic coverage, consent methodology and content of the 2013 CDH survey, there has been little change in the reported attendance patterns of children since 2003. The survey highlights apparent oral health inequalities in the survey population. Income deprivation (measured by children's eligibility for FSM's) was associated with a lower prevalence of attendance for a check-up at age 5, a greater likelihood of a primary tooth having been filled at the same age and dental treatment under general anaesthesia at certain ages. There were country variations including a higher reported prevalence of general anaesthesia use for dental treatment at different ages in Wales and Northern Ireland compared to England.

Preventing dental disease is a priority, yet in the younger age groups only around half of parents reported their children had received advice on oral care (diet and tooth brushing) despite the fact that dental caries and many other oral conditions are almost entirely preventable.

These findings have a number of implications for dental services. There is a need for wider adoption of evidence-based clinical preventive guidelines as this paper has described. This action could be strengthened through the use of appropriately-trained dental care professionals under direct access arrangements and the leadership of dentists. The issue of reduced dental attendance with family income deprivation suggests there is a need for more focus upon encouraging relatively deprived families with very young children to attend for dental care. This could be progressed through the adoption of a more targeted population approach (proportionate universalism) which would require partnership working, community engagement and continued monitoring via the NHS dental epidemiological programme.

ACKNOWLEDGEMENTS

The authors wish to thank the children and young people who took part in the research as well as their parents and guardians. In addition the authors express gratitude to the dental examining teams, field workers from the Office for National Statistics, staff in the schools visited and the individuals involved in the consortium for their invaluable contributions. The 2013 CDHS was commissioned by the Health and Social Care Information Centre (HSCIC) and the research was carried out by a consortium led by the Office for National Statistics. We particularly extend our thanks to Tom Anderson of the ONS Social Survey Division and the wider ONS research team.

REFERENCES

1. Todd JE. Children's dental health in England and Wales 1973. London: HMSO, 1975.
2. Freeman R. Reforming NHS dentistry. Br Med J 2008; **336**:1202-3.
3. Department of Health. NHS dental services in England: An independent review led by Professor Jimmy Steele. London: Department of Health, 2009.
4. Department of Health. Dental Contract Reform: Prototypes. Overview document. London: Department of Health, 2015.
5. National Institute for Health and Care Excellence. Clinical Guideline 19. Dental recall: Recall interval between routine dental examinations. 2004. Online information available at www.nice.org.uk (accessed July 2015).

6. Public Health England. Delivering Better Oral Health: an evidence-based toolkit for prevention. Third edition. 2014. Online information available at:
https://www.gov.uk/government/uploads/system/uploads/attachment_data/file/367563/DBOHv32014OCTMainDocument_3.pdf (accessed August 2015).
7. Marmot M. Fair society, healthy lives: strategic review of health inequalities in England post-2010. Online information available at:
<http://www.instituteofhealthequity.org/projects/fair-society-healthy-lives-the-marmot-review> (accessed August 2015).
8. Public Health England. Local authorities improving oral health: commissioning better oral health for children and young people. 2014. Online information available at
https://www.gov.uk/government/uploads/system/uploads/attachment_data/file/321503/CBOHMaindocumentJUNE2014.pdf (accessed August 2015).
9. Anderson T, Thomas C, Ryan R, Dennes M, Fuller E. Children's Dental Health Survey 2013. Technical Report - England, Wales and Northern Ireland. Health and Social Care Information Centre, 2015.
10. StataCorp. Stata Statistical Software: Release 11. 11 Ed. College Station, TX StatCorp LP; 2009.
11. Tsakos G, Hill K, Chadwick B, Anderson T. Children's Dental Health Survey 2013. Report 1: Attitudes, Behaviours and Children's Dental Health. England, Wales and Northern Ireland, 2013. London, Health and Social Care Information Centre, 2015.
12. Department of Health. Consent for school inspections and dental epidemiological surveys. Gateway Reference 6673. 2006. Online information available at

http://webarchive.nationalarchives.gov.uk/20070402085944/http://dh.gov.uk/en/Publicationsandstatistics/Publications/PublicationsPolicyAndGuidance/DH_4135529

(accessed July 2015).

13. White DA, Morris AJ, Hill KB, Bradnock G. Consent and school-based surveys. *Br Dent J* 2007; **202**:715-7.
14. Dyer TA, Marshman Z, Merrick D, Wyborn C, Godson JH. School-based epidemiological surveys and the impact of positive consent requirements. *Br Dent J* 2008; **205**:589-92.

Figure 1. Self-reported dental attendance of 12 and 15 year olds by free school meal (FSM) eligibility

<i>All parents</i>		5 years	8 years	12 years	Percentages 15 years
Adult attendance (responder)	Child attendance				
A regular check up	For a check-up	97	99	97	100
	Only when have trouble / Never been	3	1	3	*
An occasional check up	For a check-up	83	84	84	71
	Only when have trouble / Never been	17	16	16	29
Only when I have trouble / I don't go to the dentist	For a check-up	53	58	59	55
	Only when have trouble / Never been	47	42	41	45

Table 1. Parent's own attendance at the dentist by child attendance. (An asterisk indicates a proportion of less than 0.5%). Reproduced from Tsakos, Hill, Chadwick and Anderson¹¹

Percentages								
<i>All parents</i>	England		Wales		Northern Ireland		Total	
	2003	2013	2003	2013	2003	2013	2003	2013
Yes	10	12	6	14	1	5	9	12
No	85	83	88	80	96	92	85	83
<i>Never tried to find one</i>	6	5	6	6	3	3	6	5

Table 2. Ever had difficulty finding an NHS dentist by country. Reproduced from Tsakos, Hill, Chadwick and Anderson¹¹

	Percentages				
<i>All parents</i>	5 years	8 years	12 years	15 years	Total
England					
Wait for routine appointment	82	77	77	83	80
Wait for urgent appointment	76	76	80	80	78
Provision of preventative advice	85	84	83	86	85
Overall satisfaction	92	91	90	91	91
Wales					
Wait for routine appointment	76	74	81	76	77
Wait for urgent appointment	83	86	87	74	82
Provision of preventative advice	89	90	91	76	86
Overall satisfaction	93	96	95	93	94
Northern Ireland					
Wait for routine appointment	86	83	76	80	81
Wait for urgent appointment	88	90	81	81	84
Provision of preventative advice	90	94	90	93	92
Overall satisfaction	96	96	96	95	96

Table 3. Percentage of parents satisfied with the last dental practice visited, by age and country. Reproduced from Tsakos, Hill, Chadwick and Anderson¹¹

<i>All parents</i>	Percentages			
	5 years	8 years	12 years	15 years
England				
Permanent tooth filled	1	11	25	36
Permanent tooth extracted	1	2	9	21
Primary tooth filled	12	29	32	26
Primary tooth extracted	5	17	28	28
General anaesthetic before dental treatment	3	6	9	10
Sedation before dental treatment	1	6	13	24
A brace fitted or adjusted	*	*	14	36
Scale and polish	5	13	27	35
Preventative treatment to teeth	13	27	29	26
Advice on oral care	36	55	68	65
Wales				
Permanent tooth filled	2	7	30	49
Permanent tooth extracted	*	2	19	30
Primary tooth filled	16	43	36	30
Primary tooth extracted	5	22	33	32
General anaesthetic before dental treatment	3	13	21	21
Sedation before dental treatment	*	13	21	21
A brace fitted or adjusted	-	*	20	32
Scale and polish	3	8	18	36
Preventative treatment to teeth	16	35	29	32
Advice on oral care	48	54	62	70
Northern Ireland				
Permanent tooth filled	2	15	36	63
Permanent tooth extracted	1	5	17	20
Primary tooth filled	13	31	36	23
Primary tooth extracted	10	25	38	24
General anaesthetic before dental treatment	8	13	19	11
Sedation before dental treatment	1	8	14	19
A brace fitted or adjusted	1	1	20	42
Scale and polish	8	15	33	52
Preventative treatment to teeth	11	37	45	39
Advice on oral care	50	55	70	70

* indicates a proportion of less than 0.5% or a mean of less than 0.05

- indicates a zero value

Table 4. Dental care ever received, by age and country. Reproduced from Tsakos, Hill, Chadwick and Anderson¹¹